

NOTICE - IF FILM IMAGE IS LESS CLEAR  
THAN BEFORE, IT IS DUE TO THE  
QUALITY OF THE DOCUMENT BEING FILMED.

65605 8 3 7 7

cc: J. Bowen Ross, Esq.  
R. D. Corbin  
(cc: (encl. 10) 01-1211

Attachment

/s/

B. A. Brock

*B. A. Brock*

RESEARCH CENTER

Sincerely,

Best regards,

Enclosed as a courtesy of the results of our analysis of the  
sampled from non-banned cigarettes. I will be  
receiving a copy of the results from the analysis and follow-up.

Dear David:

Mr. D. C. Seibel  
Brown & Williamson Tobacco  
CORPORATION  
1800 W. 11th Street  
P. O. Box 529  
Louisville, Kentucky 40201

October 23, 1979

Liggett & Myers Tobacco Company, Inc.  
New York 10017  
New York 10017

NOTICE: IF THE FILM IMAGE IS LESS CLEAR  
THAN THIS NOTICE, IT IS DUE TO THE  
QUALITY OF THE DOCUMENT BEING FILMED.

65605 8 3 7 8

# L+M ANALYSIS OF G-13

RESULTS OF ANALYSIS ON BEN G-13 TOBACCO RECEIVED 10/17/78

Sample	Moisture & D.S.	Corrected to 12% O.S.			Percent Retained on Screen No.							Percent Passing All Screen
		Percent Glucoside	Percent Fiber	Filling Value	6	8	10	14	20	28	Fines	
1 Top	11.1	1.92	74	316	14.39	20.39	22.24	21.86	12.36	5.25	3.61	21.25
1 Bottom	11.2	2.01	60	373	15.63	20.52	22.93	19.11	13.11	4.08	3.71	21.81
2 Top	11.3	2.30	71	417	12.83	19.35	18.68	20.57	13.79	4.19	2.37	20.54
2 Bottom	11.0	1.74	83	227	11.50	19.34	22.05	22.01	12.96	6.04	1.95	22.86
3 Top	11.3	2.34	66	413	14.41	19.37	22.83	19.94	15.13	6.31	3.47	24.93
3 Bottom	11.3	2.03	81	423	11.49	17.34	20.64	21.64	13.93	8.22	6.56	28.77
4 Top	11.8	2.22	51	439	14.32	15.92	23.46	19.78	15.14	4.34	2.54	22.92
4 Bottom	11.3	2.02	71	420	11.37	13.55	21.34	21.93	13.35	6.99	4.70	24.95
5 Top	12.0	2.02	45	489	15.31	15.63	23.17	18.12	13.10	5.79	4.33	23.22
5 Bottom	12.4	2.05	43	950	15.33	19.11	21.45	21.23	12.93	6.34	4.70	24.39
6 Top	12.1	2.13	75	370	12.73	18.81	22.23	17.65	13.13	4.78	2.39	20.51
6 Bottom	11.9	1.75	31	470	17.80	22.19	22.92	19.92	10.93	4.74	3.41	17.7
7 Top	11.6	2.01	67	370	12.33	19.07	21.36	18.75	14.36	4.60	2.20	21.32
7 Bottom	11.0	2.32	25	477	15.51	12.93	21.79	21.37	12.87	5.97	3.26	21.20
8 Top	11.4	1.23	81	360	17.14	17.33	21.83	19.43	13.33	6.91	3.35	26.77
8 Bottom	11.1	2.36	34	343	11.87	21.96	21.99	21.49	11.12	4.53	3.72	19.42
9 Top	11.1	2.17	80	373	13.45	17.15	22.51	20.42	16.39	6.55	3.52	26.27
9 Bottom	11.1	2.16	87	270	17.33	21.07	22.17	20.75	12.65	4.35	2.83	18.33
10 Top	11.7	1.98	18	177	14.65	22.49	22.34	13.07	12.44	3.57	1.54	17.57
10 Bottom	11.0	2.01	100	241	14.67	19.65	22.36	23.51	13.50	5.71	1.19	22.47
SD	0.011	2.0747	22.3271	20.6073	2.0740	1.3973	1.1275	1.6433	1.5731	1.1730	1.0749	3.045
Σ	11.42	2.05	63.33	676.15	12.79	19.36	20.66	20.32	13.33	5.91	3.52	22.36

/in

7/1